Document - CODE DX Fountain

Document - CODE DX Fountain	
DOB	1/16/1947
SEX	
ENSURANCE	
Voice Record	
NOTES	
Photos or/and Videos	
DX	A41.9
DX-1	H01.0
DX-2	
CPT	99309
CPT-1	
CPT-2	
Chief Complaint (CC)	Monitor for Meropenem and Gentamicin.
HPI	The patient was assessed at the bedside. Trach in situ does not follow commands, and both eyes are open. No discharges were noted on his eyes at this time. Productive cough with copious yellow phlegm. Lungs: Diminished breath sounds, +Rhonchi. Cardiovascular: RRR, S1 and S2. No evident chest pain, palpitations, SOB, chills, or diaphoresis noted. Continue with current antibiotic treatment. Tolerating well.
Allergies	No known allergies
ICD-10 Diagnosis	A 41.9 Sepsis, unspecified organism, H01.0 Blepharitis
Current Medications	Gentamicin drops; 0.3 %; amt: 1 drop; ophthalmic (eye). Begin: 03/10/2025 - 03/20/2025 End: 03/20/2025 Meropenem recon soln; 1 gram; amt: 1 gram; intravenous. Begin: 03/08/2025 - 03/14/2025 End: 03/14/2025
ENDING	
CLINICAL CHART	
Antibiotics	Gentamicin drops; 0.3 %; amt: 1 drop; ophthalmic (eye) four times a day for 10 days DX: Blepharitis Four Times A Day. Begin: 03/10/2025 - 03/20/2025 End: 03/20/2025 Meropenem recon soln; 1 gram; amt: 1 gram; intravenous Every 8 Hours. Begin: 03/08/2025 - 03/14/2025 End: 03/14/2025
Other recommendations	Adherence to prescribed treatments. Sepsis is a serious condition that requires completing the full course of antibiotics, maintaining proper hydration, and monitoring vital signs for any worsening symptoms such as fever, confusion, difficulty breathing, or low blood pressure. In addition, Blepharitis Should be managed with good eyelid hygiene, including warm compresses and gentle cleaning with a prescribed solution or baby shampoo to reduce inflammation and bacterial buildup. Avoiding eye rubbing and using prescribed topical medications, if applicable, can help control symptoms. Continue with the Gentamicin drops until 03/20.
CPT code (s)	99309
Confirmed	YES
\$	24
Count	1